RESEARCH REPORT

How many marine mammals are killed by plastic pollution each year?

510	35	8
CLAIMS	SOURCES READ	DISAGREEMENTS

PREPARED 2026-11-06
SESSION s_06GV5VYCPCP8XZ0K

CONTENTS

Finding 3
Scope 4
Disagreement 5
Sources 7
Coverage 9
Receipt 10
Reproducing this 10

Finding

Written by a language model from the evidence in Sources. Every quote it draws on was checked against its source; the prose was not.

The most widely repeated figure is an estimated 100,000 marine mammals dying each year from plastic ingestion or entanglement [1,2,3,4,5+1], but that number is not a measured total: one widely cited source presents it alongside a broader statement about 81 of 123 marine mammal species and all seven sea turtle species [1], and another attributes the same figure to an Earth.org data visualization while describing it as covering marine animals killed specifically by ingestion or entanglement [22]. The evidence also cuts against treating plastic as the main killer: fisheries bycatch is described as the greatest current source of human-caused deaths of marine mammals worldwide [7,8], and a necropsy dataset found plastic ingestion as the known cause of death in only 5% of seabird and marine mammal cases combined [17].

Several sources give figures that do not clearly refer to marine mammals at all. One estimate of 100,000 deaths yearly from entanglement in plastic counts only creatures that are found and is framed around marine animals generally [9,10,11]; the same 100,000 figure is attributed to a WWF study as covering marine animals from plastic pollution [22]; another source says over a million marine animals die annually from plastic pollution without specifying marine mammals [12]; and a further claim puts water pollution deaths at 100 million animals a year from plastic debris [22]. On the seabird side, approximately 1 million seabirds are said to die from plastic annually [10,22,28], and plastic waste is said to kill up to a million seabirds a year [26]. Two of these figures cannot both hold: the ~1 million seabird estimate [10,22,28] and the claim that 100 million marine animals die each year from plastic waste alone [9,11] are irreconcilable as stated.

One frequently circulated number attributed to entanglement is much larger and is explicitly sourced to a report rather than measured: entangling fishing gear is said to kill more than 300,000 dolphins, porpoises and small whales every year [3,14,15]. Regional and gear-specific figures exist but are not global totals — up to 15,000 spinner dolphins killed each year in Sri Lanka by gillnets and hand-harpooning [25], and an average of 74 large whales reported entangled in U.S. fishing gear annually [14] — and the source for the Sri Lanka figure gives no total for marine mammal deaths from plastic pollution, its numbers being fishery bycatch and direct-catch figures [25]. Likewise, the source behind the 300,000 figure concerns cetaceans only and does not address other marine mammals or plastic pollution as a cause of death [15].

The 100,000 marine mammal figure also sits awkwardly with what has actually been observed. Most marine mammals in one dataset that had ingested plastic had ingested just one item [17]; 69 marine mammal species are recorded as ingesting debris, 56% of all marine mammals [18], and 81 of 123 species are known to have eaten or been trapped in plastic [1,22]. No study in the past 50 years reported direct evidence of population-level effects of plastic pollution on marine megafauna [24]. Researchers note that reported effects on air-breathing marine megafauna may be biased because such observations are most apparent and many records come from dead individuals [24], that most research takes place after an animal dies [18], and that protection status makes debris-ingestion research difficult [18]. Monitoring is also incomplete: numerous marine mammal deaths go undetected where fisheries are unobserved or would escape detection even with observers onboard [8].

Other figures in the material do not supply a marine mammal death count. The estimate that plastic could outweigh fish by 2050 [9,12,13], the 11 million tonnes of plastic waste entering the ocean annually [5,23], the up to 13 million metric tons per year [26], and the 6,350–245,000 metric tons floating at the surface [19,20,21] all concern plastic volumes rather than deaths, and one document explicitly contains no statement about the number of marine mammals killed by plastic pollution each year [23]. A bycatch total of hundreds of thousands to millions is cited from Read et al. (2006) rather than measured by the authors [7], and the claim that bycatch is the greatest source of human-caused marine mammal deaths rests on citations to prior studies [7].

Two definitional details are worth one line each. An estimate of 12,000–14,000 tons of plastic ingested yearly applies to North Pacific fish, not marine mammals [9], and a figure of 1 in 3 marine mammal species found entangled in litter [9] describes entanglement prevalence rather than deaths.

Scope

What the question was decomposed into, and what became of each part.

1 What do peer-reviewed or government estimates say about the number of marine mammals killed or entangled by plastic pollution annually? RESEARCHED

2 Where does the commonly cited figure for marine mammal deaths from plastic pollution originate, and what method and denominator does it use? RESEARCHED

3 How are marine mammal deaths from plastic attributed versus other causes (bycatch, ship strikes, entanglement), and what proportion is plastic-specific? RESEARCHED

4 SETTLING A DISAGREEMENT RESEARCHED
12.7 million tonnes of plastic reaches the ocean every year — or — Approximately 8 million tonnes of plastic enter the oceans each year

5 SETTLING A DISAGREEMENT RESEARCHED
Over 100 million marine animals' lives are lost every year as a result of mismanaged waste dumped in the oceans — or — About 100,000 marine animals are killed each year by ocean plastic ingestion or entanglement

6 SETTLING A DISAGREEMENT RESEARCHED
The 100,000 marine mammal deaths figure covers whales, dolphins, porpoises, seals and sea lions — or — The 100,000 figure covers marine animals broadly, not marine mammals specifically

7 SETTLING A DISAGREEMENT RESEARCHED
For sea turtles, 93 ingested soft plastic items equate to a 50% mortality risk, or 331 items for a 90% risk — or — A previous study estimated that ingesting 14 pieces of plastic gave sea turtles a 50% probability of mortality

8 SETTLING A DISAGREEMENT RESEARCHED
An estimated 100 million marine animals die each year from plastic waste alone — or — About 100,000 marine animals are killed each year by ocean plastic ingestion or entanglement

9 SETTLING A DISAGREEMENT RESEARCHED
An estimated 14 million tons of plastic enter the ocean annually — or — Around 8 million tonnes of plastic enter the oceans annually

10 SETTLING A DISAGREEMENT RESEARCHED
Around 8 million tonnes of plastic enter the oceans annually, including abandoned fishing gear — or — Around 12.7 million tonnes of plastic enters the ocean each year at the current rate of pollution

11 SETTLING A DISAGREEMENT RESEARCHED
As much as 14 million tons of plastic waste enter the ocean each year — or — Roughly 8 million tonnes of plastic enter the oceans each year

12 SETTLING A DISAGREEMENT NOT RUN

Every day around 8 million pieces of plastic make their way into the oceans — or — Between 13,000 and 15,000 pieces of plastic are dumped into the ocean every day

13 SETTLING A DISAGREEMENT NOT RUN

An estimated 14 million tons of plastic enter the ocean annually — or — Around 8 million tonnes of plastic enter the oceans annually

14 SETTLING A DISAGREEMENT NOT RUN

As much as 14 million tons of plastic waste enter the ocean each year — or — Up to 13 million metric tons of plastic ends up in the ocean each year

3 of 14 sub-questions were not researched: this run reached its ceiling first. Nothing below rests on evidence they would have found.

Disagreement

Each block is one argument. Both sides are printed and neither is resolved — which of them to believe is the judgement this report exists to inform, not to make. Read the quotes: two figures measured over different scopes are a difference, not a contradiction.

DISAGREEMENT 1 10 claims · 15 pairs

Around 12.7 million tonnes of plastic enters the ocean each year at the current rate of pollution.

condorferries.co.uk/plastic-in-the-ocean-statist...

> *However, at the rate we are polluting the ocean with around 12.7 million tonnes of plastic a year, the damage we are doing to marine life and our ecosystem is becoming irreparable.*

Around 8 million tonnes of plastic enter the oceans annually, including abandoned fishing gear.

wwf.org.au/blogs

> *Around 8 million tonnes of plastic enter oceans annually, including abandoned fishing gear.*

8 more claims on this point are in the full evidence file.

DISAGREEMENT 2 5 claims · 8 pairs

An estimated 100 million marine animals die each year from plastic waste alone.

condorferries.co.uk/marine-ocean-pollution-stati...

> ***100 million** marine animals die each year from plastic waste alone.*

More than 1 million seabirds and 100,000 marine animals die from plastic pollution every year.

condorferries.co.uk/plastic-in-the-ocean-statist...

> *More than **1 million seabirds** and **100,000 marine animals die** from plastic pollution every year.*

3 more claims on this point are in the full evidence file.

DISAGREEMENT 3 5 claims · 4 pairs

An estimated 14 million tons of plastic enter the ocean annually.

condorferries.co.uk/marine-ocean-pollution-stati...

> *It's estimated that roughly **14 million tons of plastic** annually enter the ocean.*

Yearly, up to 12.7 million tonnes of plastic enters the oceans.

condorferries.co.uk/plastic-in-the-ocean-statist...

> *Yearly, up to 12.7 million tonnes of plastic enters our oceans.*

3 more claims on this point are in the full evidence file.

DISAGREEMENT 4 2 claims · 6 pairs

Between 13,000 and 15,000 pieces of plastic are dumped into the ocean every day.

earth.org/data_visualization

> *Every single day, 13,000 to 15,000 pieces of plastic are dumped in – it's unfathomable.*

Every day around 8 million pieces of plastic make their way into the oceans.

condorferries.co.uk/plastic-in-the-ocean-statist...

> *Every day around **8 million pieces of plastic** makes their way into our oceans.*

DISAGREEMENT 5 2 claims

As much as 14 million tons of plastic waste enter the ocean each year.

beyondplastics.org/reports

> *Each year, as much as 14 million tons of plastic waste enter the ocean — an amount that could fill nearly enough garbage trucks, parked end to end, to encircle the entire globe.*

Roughly 8 million tonnes of plastic enter the oceans each year.

wwf.org.au/blogs

> *Around 8 million tonnes of plastic enter oceans annually, including abandoned fishing gear.*

DISAGREEMENT 6 2 claims

The 100,000 marine mammal deaths figure covers whales, dolphins, porpoises, seals and sea lions.

australian.museum/blog

> *This includes whales, dolphins, porpoises, seals and sea lions.*

The 100,000 figure covers marine animals broadly, not marine mammals specifically.

earth.org/data_visualization

> *We find about 100,000 marine animals killed by ocean plastic ingestion or entanglement each year, and this is only the tip of the iceberg.*

OTHER DISAGREEMENTS

For sea turtles, 93 ingested soft plastic items equate to a 50% mortality risk, or 331 items for a 90% risk. against
A previous study estimated that ingesting 14 pieces of plastic gave sea turtles a 50% probability of mortality.

2 claims

The 12.7 million tonnes figure is given as an annual rate of pollution, i.e., a per-year flow rather than a stock. against
The figure for plastic entering the oceans is given as around 8 million tonnes per year.

2 claims

Sources

Every source the prose cites, with the sentences mined from it. 510 claims were collected in total; all of them are in the evidence file you can download beside this document.

[1] https://wwf.org.au/blogs/plastic-in-our-oceans-is-killing-marine-mammals
***100,000 marine mammals die every year** due to plastic ingestion or entanglement.*
While it's difficult to know exactly how many marine animals are killed by plastic pollution, it's been estimated that plastic pollution kills 100,000 marine mammals every year.
***81 of 123 marine mammal species** are known to have eaten or been trapped in plastic.*

[2] https://eia-international.org/wp-content/uploads/EIA_Marine_Debris_Briefing_0612_FINAL_MEDRES1.pdf
Although there is a lack of up to date information on the scale of the problem, it can be very conservatively estimated that each year more than 100,000 marine mammals die from ingesting or becoming entangled in debris.

[3] https://www.fauna-flora.org/explained/how-does-plastic-pollution-affect-marine-life
It is estimated that [marine plastics are contributing to the death of more than 100,000 marine mammals every year](http://www.unesco.org/new/en/natural-sciences/ioc-oceans/focus-areas/rio-20-ocean/blueprint-for-the-future-we-want/marine-pollution/facts-and-figures-on-marine-pollution/).
It is estimated that [marine plastics are contributing to the death of more than 100,000 marine mammals every year] [Plastic debris is said to cause the deaths of more than a million seabirds each year](http://www.unesco.org/new/en/natural-sciences/ioc-oceans/focus-areas/rio-20-ocean/blueprint-for-the-future-we-want/marine-pollution/facts-and-figures-on-marine-pollution/).

[4] https://australian.museum/blog/museullaneous/plastic-in-our-oceans-is-killing-marine-mammals
Globally, [100,000 marine mammals](http://oceancrusaders.org/plastic-crusades/plastic-statistics/) die every year as a result of plastic pollution.
Just like us, marine mammals can't breathe underwater, and the most common way that entanglement kills is through drowning.
It's estimated that [56%](https://eia-international.org/ocean-week-were-at-rock-bottom-over-marine-plastic-pollution-now-its-time-to-race-to-the-top/) of the planet's whale, dolphin and porpoise species have consumed plastic, but to understand why you need to see the world as they do.

[5] https://oceanblueproject.org/wp-content/uploads/2023/02/how-many-animals-die-from-plastic-pollution-ocean-blue-report.pdf
Current statistics estimate plastic debris causes the deaths of over one million seabirds and over 100,000 marine mammals annually, though the exact number is unknown and may be much higher (United Nations Educational, Scientific and Cultural Organization, 2021a).
In 2016 — the most recent year providing global figures — an estimated 11 million metric tons of plastic waste made its way into our one world ocean, adding to the estimated 150 million metric tons of plastic already present (The Pew Charitable Trusts & SYSTEMIQ, 2020).
At least 690 marine species have been affected by plastic pollution globally, including cetaceans, pinnipeds, seabirds, turtles, fish, and crustaceans (Gall & Thompson, 2015).

[6] https://wwfwhales.org/pollution
Globally, 100,000 marine mammals die every year as a result of plastic pollution.
Marine mammals can't breathe underwater, and the most common way that entanglement kills is through drowning.
It's estimated that 56 per cent of the planet's whale, dolphin and porpoise species have consumed plastic

[7] https://www.frontiersin.org/journals/marine-science/articles/10.3389/fmars.2021.752356/full
Fisheries bycatch is the greatest current source of human-caused deaths of marine mammals worldwide, with severe impacts on the health and viability of many populations.
Most species of marine mammals—cetaceans, pinnipeds, sirenians and sea otters—are affected by bycatch ([Reeves et al., 2013](#B101)), with hundreds of thousands or perhaps millions of individuals killed annually ([Read et al., 2006](#B99)).
Fisheries-related mortality has been the dominant factor, or at least a major contributing factor, in causing population decline or preventing population recovery (e.g., from historical whaling and sealing impacts) of many marine mammal species.

[8] https://www.mmc.gov/priority-topics/fisheries-interactions-with-marine-mammals/marine-mammal-bycatch
Bycatch is the greatest direct cause of marine mammal injury and death in the United States and around the world.
In recent years (2018–2023), the Commission [funded ten research projects addressing marine mammal bycatch] (https://www.mmc.gov/grants-and-research-survey/grant-awards/).
This initiative dedicates $375K to address marine mammal bycatch on a global level.

[9] https://www.condorferries.co.uk/marine-ocean-pollution-statistics-facts
***100,000** marine animals die from getting entangled in plastic yearly – this is just the creatures we find!*
***100,000 marine animals die** from getting entangled in plastic yearly – this is just the creatures we find!*
However, these estimates are likely to be an underestimate of the true impact. Many marine animal deaths are not recorded or observed, making it challenging to determine the exact number of deaths from ocean pollution sources. The estimates are based on available data and research.

[10] https://earth.org/data_visualization/how-many-marine-animals-does-ocean-plastic-kill
We find about 100,000 marine animals killed by ocean plastic ingestion or entanglement each year, and this is only the tip of the iceberg.
There are likely far more lying at the bottom of the ocean, who, once decomposed, will release the plastic for other animals to encounter.
Approximately 1 million sea birds also die from plastic annually, and it remains to be seen what the toll is on humans, who ingest approximately 40 pounds during their lifetime.

[11] https://www.facebook.com/groups/1572893699951268/posts/1798230890750880
100,000 of them suffer slow deaths from entanglement — and those are just the ones we find.
Every year, plastic waste claims the lives of more than 100 million marine animals.

[12] https://www.bigblueoceancleanup.org/what-we-know
***More Plastic Than Fish**: By 2050, plastic could outweigh fish in our oceans if current trends continue.*
***Consumed by Marine Life**: Over 700 marine species are affected by plastic, mistaking it for food.*
***Found Everywhere**: Microplastics (1µm to 5mm in size) are now in surface waters, deep seas, the Arctic — even table salt.*

[13] https://www.cleanhub.com/blog/how-much-plastic-in-the-ocean
Many reports suggest that within 26 years, there will be more plastic in our oceans by weight than fish.

[14] https://www.beyondplastics.org/reports/immp-plastics-report
The study finds plastic pollution and fishing gear to be the leading threat to marine mammals, with entangling plastic fishing gear killing more than 300,000 dolphins, porpoises, and small whales every year.
In the U.S. alone, 74 large whales are reported entangled in fishing gear on average every year, although many more may die and sink, going unrecorded.
Tens of thousands of seals and sea lions, sea turtles, sharks, and other marine life also die from plastic each year.

[15] https://iwc.int/management-and-conservation/bycatch-and-entanglement-of-cetaceans-in-fishing/entanglement
Over 300,000 whales and dolphins are estimated to die annually due to bycatch and entanglement in fishing gear.

[16] https://www.nature.com/articles/s41598-018-36585-9
These findings have significant implications for quantifying seabird mortality due to debris ingestion, and provide identifiable policy targets aimed to reduce mortality for threatened species worldwide.
Presently, half of the world's seabird species ingest marine debris
*Thirteen birds died as a result of marine debris ingestion (KD); five fairy prions, *Pachyptila turtur*, four short-tailed shearwaters, *Ardenna tenuirostris*, one Salvin's prion, *Pachyptila salvini*, one Antarctic prion, *Pachyptila desolata*, one blue petrel, *Halobaena caerulea*, and one light-mantled sooty albatross, *Phoebetria palpebrata*.*

[17] https://pmc.ncbi.nlm.nih.gov/articles/PMC12745686
Across the broader dataset, most marine mammals that ingested plastic had ingested just one item, yet the average volume of those pieces (164 cm3) was far larger than in other taxa
Across all seabirds and marine mammals, plastic ingestion was the known cause of death in 5% of cases (Fig. 1).
To do so, they compiled a global dataset from more than 10,000 necropsy reports

[18] https://marinedebris.noaa.gov/why-marine-debris-problem/ingestion
found that 69 species of marine mammals have been found to ingest debris - that's 56% of all marine mammals!
Marine mammals are highly protected, which can make it difficult to research them.
Most research on marine mammals takes place after an animal dies, making it difficult to understand what marine debris live animals eat.

[19] https://news.uga.edu/new-science-paper-magnitude-plastic-waste-going-into-ocean-0215
With between 4.8 and 12.7 million metric tons going in, researchers like Law are only finding between 6,350 and 245,000 metric tons floating on the ocean's surface.
That year, a total of 275 million metric tons of plastic waste was generated in those 192 coastal countries.

[20] https://theconversation.com/eight-million-tonnes-of-plastic-are-going-into-the-ocean-each-year-37521
Between 6,350 and 245,000 metric tons of plastic waste is estimated to float on the ocean's surface, which raises the all-important question: where does the rest of it end up?

This translated to 275 million tonnes of plastic waste; 99.5 million tonnes of which was produced by the two billion people living within 50 km of a coastline.
However, people in the United States – coming in at number 20 and producing less than 1% of global waste – produce more than 2.5 kg of plastic waste each day, more than twice the amount of people in China.

[21] https://www.nationalgeographic.com/science/article/150212-ocean-debris-plastic-garbage-patches-science
A study last year, for example, estimated the amount of floating trash to be 245,000 tons at most.
It has been ingested with dire consequences by some 700 species of marine wildlife.

[22] https://antipollutionplan.com/how-many-marine-animals-are-destroyed-by-water.html
81 out of 123 marine mammal species are known to have eaten or been entangled in plastic, and all seven sea turtle species are affected.
Water pollution also results in an estimated 100 million animals dying each year due to plastic debris.
The UK Government reports that 100, 000 marine mammals and turtles and 1 million sea birds are killed by marine plastic pollution every year.

[23] https://www.statspanda.com/live-counters/tonnes-of-plastic-waste-dumped-in-oceans
11 million tonnes of plastic waste entering the ocean each year (2016 baseline)
This plastic pollution affects every level of marine life, from microscopic plankton to whales, and has been found in the deepest ocean trenches and most remote islands.

[24] https://www.int-res.com/articles/esr2020/43/n043p234.pdf
Seabirds included any of the 414 species and corresponding families described by Ryan (2018), sea turtles included all 7 species, while marine mammals included cetaceans, pinnipeds (i.e.
However, no study in the past 50 yr reported direct evidence of population-level effects.
To date, over 900 marine species have been ob -served interacting with plastic pollution (Vegter et al.
2014, Gall & Thompson 2015, Provencher et al. 2017, Kühn & van Franeker 2020).

[25] https://www.vliz.be/imisdocs/publications/255680.pdf
Most writers use the term 'marine mammal' to include members of 5 different mammalian groups: cetaceans (whales, dolphins, and porpoises), sirenians (manatees and the dugong), pinnipeds (sea lions, the walrus, and seals), marine and sea otters, and the polar bear (Fig. 1).
Catches of spinner dolphins also occur in the Caribbean, Australia, Japan, Thailand, the Philippines, and Sri Lanka; in this last area up to 15 000 are killed each year in gillnets and by hand-harpooning.
There is not much known of the species' life history, but tropical populations would be expected to have a protracted breeding season.

[26] https://www.pew.org/en/research-and-analysis/articles/2018/09/24/plastic-pollution-affects-sea-life-throughout-the-ocean
Plastic waste kills up to a million seabirds a year.
It is estimated that up to 13 million metric tons of plastic ends up in the ocean each year
It is estimated that up to 13 million metric tons of plastic ends up in the ocean each year—the equivalent of a rubbish or garbage truck load's worth every minute.

[27] https://www.nhm.ac.uk/discover/quick-questions/how-much-plastic-is-in-the-ocean.html
Plastic can enter the ocean as large, identifiable items or as microplastics - pieces under five millimetres in length.
It revealed that around four billion microscopic plastic fibres could be littering each square kilometre of deep-sea sediment around the world.

[28] https://www.condorferries.co.uk/plastic-in-the-ocean-statistics
*More than **1 million seabirds** and **100,000 marine animals die** from plastic pollution every year.*

[29] https://www.seaturtlestatus.org/sea-turtles-plastic-pollution
Plastic pollution affects sea turtles in two main ways: 1) through ingestion, and 2) through entanglement.

Coverage

SOURCES READ	35
CONSIDERED	65
NOT REACHED	29
COULD NOT READ	1

Considered counts every distinct source this session had in front of it: read, refused, and passed over once the source limit was reached.

SOURCES THAT COULD NOT BE READ

BLOCKED	https://www.pnas.org/doi/10.1073/pnas.2415492122

Receipt

QUOTES RE-READ	510
CONFIRMED	508
NOT FOUND IN THE SOURCE	0
MOVED WITHIN THE SOURCE	2
SOURCE UNREACHABLE	0
SKIPPED	0

Every quote is machine-verified against its source. Whether the sources are right is your judgement.

Reproducing this

This report was assembled from one research session. The session is kept, so the same question can be re-run later and the answers compared.

SESSION	s_06GV5VYCPCP8XZ0K
RESEARCHED	2026-11-06
REPORT BUILT	2026-11-08